

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# SCJP Shout Carpet Spotter 32oz/6 US

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product information

**Product name** : SCJP Shout Carpet Spotter 32oz/6 US

**Recommended use** : concentrate

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252

**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

#### Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

### Labelling

#### Precautionary statements

**Other hazards** : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Tripropylene Glycol Methyl Ether	25498-49-1	1.00 - 5.00
SODIUM THIOSULFATE	7772-98-7	1.00 - 5.00
Sodium xylene sulfonate	1300-72-7	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

---

**4. FIRST AID MEASURES**

- Eye contact** : No special requirements
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Container may melt and leak in heat of fire.
- Further information** : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Dike large spills. Clean residue from spill site.

---

**7. HANDLING AND STORAGE**

**Handling**

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## SCJP Shout Carpet Spotter 32oz/6 US

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
Use only as directed.  
KEEP OUT OF REACH OF CHILDREN AND PETS.

**Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

### Storage

**Requirements for storage areas and containers** : Keep container closed when not in use.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

### Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form** : liquid

**Color** : colourless

**Odor** : Marine/Ozone

**Odour Threshold** : Test not applicable for this product type

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

- pH** : 9.5
  
- Melting point/freezing point** : 32 °F
  
- Initial boiling point and boiling range** : 100 °C
  
- Flash point** : does not flash
  
- Evaporation rate** : Test not applicable for this product type
  
- Flammability (solid, gas)** : The product is not flammable.
  
- Upper/lower flammability or explosive limits** : Test not applicable for this product type
  
- Vapour pressure** : similar to water
  
- Vapour density** : Test not applicable for this product type
  
- Relative density** : 1.01 g/cm<sup>3</sup>
  
- Solubility(ies)** : soluble
  
- Partition coefficient: n-octanol/water** : Test not applicable for this product type
  
- Auto-ignition temperature** : Test not applicable for this product type
  
- Decomposition temperature** : Not applicable

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

- Viscosity, dynamic** : Test not applicable for this product type
- Viscosity, kinematic** : Test not applicable for this product type
- Oxidizing properties** : Test not applicable for this product type
- Volatile Organic Compounds Total VOC (wt. %)\*** : 1.5 % - additional exemptions may apply  
\*as defined by US Federal and State Consumer Product Regulations
- Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

- Possibility of hazardous reactions** : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : Do not mix with bleach or any other household cleaners. Strong bases
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

---

**11. TOXICOLOGICAL INFORMATION**

- Emergency Overview** : This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.
- Acute oral toxicity** : LD50 > 5000 mg/kg

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

**Acute inhalation toxicity** : LC50 > 10 mg/L

**Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical** : None known.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

**Condition****12. ECOLOGICAL INFORMATION****Product :** The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether	static test LC50	Pimephales promelas (fathead minnow)	11,619 mg/l	96 h
SODIUM THIOSULFATE	static test LC50 Read-across (Analogy)	Lepomis macrochirus (Bluegill sunfish)	510 mg/l	96 h
	flow-through test NOEC Measured OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)	Danio rerio (zebra fish)	>= 316 mg/l	34 d
Sodium xylene sulfonate	LC50 Read-across (Analogy)	Oncorhynchus mykiss (rainbow trout)	> 1,000 mg/l	96 h

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

--	--	--	--	--

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether	EC50	Daphnia magna (Water flea)	> 10,000 mg/l	48 h
SODIUM THIOSULFATE	static test EC50 Read-across (Analogy)	Daphnia magna (Water flea)	230 mg/l	48 h
	semi-static test NOEC Read-across (Analogy) OECD Guideline 211 (Daphnia magna Reproduction Test)	Daphnia magna (Water flea)	> 10 mg/l	21 d
Sodium xylene sulfonate	EC50	Daphnia magna (Water flea)	> 1,020 mg/l	48 h

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl	No data			



## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## SCJP Shout Carpet Spotter 32oz/6 US

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

Ether	available			
SODIUM THIOSULFATE	static test EC50 Read-across (Analogy)	Pseudokirchneriella subcapitata (green algae)	> 100 mg/l	72 h
Sodium xylene sulfonate	EC50	Selenastrum capricornutum, Skeletonema costatum	> 230 mg/l	96 h

### Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Tripropylene Glycol Methyl Ether	96 %	28 d	Readily biodegradable
SODIUM THIOSULFATE	No data available		
Sodium xylene sulfonate	100 %	28 d	Readily biodegradable

### Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Tripropylene Glycol Methyl Ether	No data available	No data available
SODIUM THIOSULFATE		
Sodium xylene sulfonate	No data available	-3.12 estimated

### Mobility

Component	End point	Value
Tripropylene Glycol Methyl Ether	No data available	
SODIUM THIOSULFATE	No data available	
Sodium xylene sulfonate	No data available	

### PBT and vPvB assessment

Component	Results
-----------	---------

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

Tripropylene Glycol Methyl Ether	Not fulfilling PBT and vPvB criteria
Sodium xylene sulfonate	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Land transport**

Not classified as dangerous in the meaning of transport regulations.

**Sea transport**

Not classified as dangerous in the meaning of transport regulations.

**Air transport**

Not classified as dangerous in the meaning of transport regulations.

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

**State Right To Know**

No components are subject to the Massachusetts Right to Know Act.
No components are subject to the Minnesota "Right To Know" Act

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SCJP Shout Carpet Spotter 32oz/6 US**

Version 1.1

Print Date 07/27/2017

Revision Date 01/26/2017

SDS Number 350000030339

No components are subject to the New Jersey "Right To Know" Act		
Pennsylvania RTKL	Water	7732-18-5

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	0
<b>Flammability</b>	0
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	0
<b>Fire</b>	0
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--